

# **Using Blogdex with Metalinker**

By Cal Henderson

## Metalinker

You might be writing about the latest Apple gadget or you might be writing about tensions in the Middle East - and if it's topical you're probably not going to be the only one. But how do you (and how can you help your readers) find out about the other discussions going on around the net?

Metalinker takes a very simple approach - every time you put a link into your website, metalinker uses javascript to add a link to the page on blogdex that lists other people talking who have mentioned that link. And so with just a couple of mouse-clicks people reading your site can read a webful of opinion and debate...

To start, you'll need to grab the metalinker.js from <http://www.iamcal.com/files/metalinker.zip>. After that, insert the following code, right at the end of your template, before the closing `</body>` tag.

```
<script language="javascript" type="text/javascript" src="metalinker.js"></script>
<script language="javascript" type="text/javascript">
<!--

tag_links();

//-->
</script>
```

The syntax of the `tag_links()` call varies, depending on what you want it to do: In it's simplest form, just call it with no arguments:

```
tag_links();
```

This tells the scanner to parse every link on the page.

To only link a certain area of the page (such as a weblog), enclose it in a `<div>` tag and give it an `id=""` attribute. Then pass the id as the first argument to the scanner:

```
tag_links('my_div');
```

This tells the scanner to transform only links found within the `<div>` with the id of `my_div`.

To further exclude links, such as permalinks, then you can filter them out based on url or class. If all your permalinks start with `http://www.domain.org/archives/` then call as follows:

```
tag_links('my_div', 'http://www.domain.org/archives/');
```

This tells the scanner to look in the div for all links that **don't** start with `http://www.domain.org/archives/`. If all your permalinks have `class="permaclass"` attributes then call as follows:

```
tag_links('my_div', 'http://www.domain.org/archives/', 'permaclass');
```

This tells the scanner to look in the div for all links that **don't** start with `http://www.domain.org/archives/` and have a class of `permaclass`. All arguments are optional and you can skip any you don't want to specify by just supplying null:

```
tag_links(null,null,'permaclass');
```

You can also specify the way the link is presented. By default, a 'b' in square brackets is shown. You can supply the three pieces of text (before the link, the link itself and after the link) as arguments to the function. The default (leaving them blank) is equivalent to as follows:

```
tag_links(null,'null,null,' ['','b','']');
```

But you can customise it however you want:

```
tag_links(null,null,null,'-', 'more...', '');
```

The seventh argument allows you to set the class of the generated links. By default they are given the class `autolink` but you can specify your class as follows:

```
tag_links(null,null,null,null,null,null,'my_autolink_class');
```

The eighth argument allows you to specify the title of the link (shown as a tooltip, and used by screen readers). By default they are given the title "metalink" but you can specify your own as follows:

```
tag_links(null,null,null,null,null,null,null,'my title');
```

If you don't want metalinker to operate on your archive pages, then this can be achieved by relative urls. Make sure your archives are in a different folder to your main weblog (e.g. 'archives'). In this folder, create another file called *metalinker.js* and copy the following code into it:

```
function tag_links(){  
  return;  
}
```

*(end of article)*